

中国兽类名录 (2021 版)

魏辅文^{1*} 杨奇森^{1*} 吴毅^{2*} 蒋学龙^{3*} 刘少英^{4*} 李保国⁵ 杨光⁶ 李明¹
周江⁷ 李松³ 胡义波¹ 葛德燕¹ 李晟⁸ 余文华² 陈炳耀⁶ 张泽钧⁹
周材权⁹ 吴诗宝¹⁰ 张立¹¹ 陈中正¹² 陈顺德¹³ 邓怀庆⁷ 江廷磊¹⁴
张礼标¹⁵ 石红艳¹⁶ 卢学理⁷ 李权³ 刘铸¹⁷ 崔雅倩¹ 李玉春¹⁸

(1 中国科学院动物研究所, 北京 100101) (2 广州大学生命科学学院, 广州 510006) (3 中国科学院昆明动物研究所, 昆明 650201)
(4 四川省林业科学研究院, 成都 610081) (5 西北大学生命科学学院, 西安 710069) (6 南京师范大学生命科学学院, 南京 210023)
(7 贵州师范大学喀斯特研究院, 贵阳 550001) (8 北京大学生命科学学院, 北京 100871) (9 西华师范大学生命科学学院, 南充 637002)
(10 华南师范大学生命科学学院, 广州 510631) (11 北京师范大学生命科学学院, 北京 100875) (12 安徽师范大学生态与环境学院, 芜湖 241002)
(13 四川师范大学生命科学学院, 成都 610101) (14 东北师范大学环境学院, 长春 130117) (15 广东省科学院动物研究所, 广州 510260)
(16 绵阳师范学院生命科学与技术学院, 绵阳 621000) (17 牡丹江师范学院生命科学与技术学院, 牡丹江 157100)
(18 山东大学 (威海) 海洋学院, 威海 264209)

摘要: 中国是全球兽类物种多样性最高的国家之一, 掌握我国兽类物种多样性和分类地位是兽类学研究的基础前提, 也是科学保护野生种群的前提。为厘清中国兽类的物种数量及分类地位等关键分类学信息, 中国动物学会兽类学分会组织国内长期致力于兽类类群分类的科学研究人员, 在总结前人研究的基础上, 根据最新的形态学和分子遗传学证据, 综合现代兽类分类学家意见, 经编委会充分讨论, 形成了最新的中国兽类名录, 包括我国现阶段兽类 12 目 59 科 254 属 686 种。该中国兽类名录使用基于系统发生关系的分类系统, 并对物种有效性进行了充分慎重的确认和讨论。

关键词: 哺乳动物; 物种数目; 分类学; 名录; 中国

中图分类号: Q959

文献标识码: A

文章编号: 1000–1050 (2021) 05–0487–15

Catalogue of mammals in China (2021)

WEI Fuwen^{1*}, YANG Qisen^{1*}, WU Yi^{2*}, JIANG Xuelong^{3*}, LIU Shaoying^{4*}, LI Baoguo⁵, YANG Guang⁶, LI Ming¹, ZHOU Jiang⁷, LI Song³, HU Yibo¹, GE Deyan¹, LI Sheng⁸, YU Wenhua², CHEN Bingyao⁶, ZHANG Zejun⁹, ZHOU Caiquan⁹, WU Shibao¹⁰, ZHANG Li¹¹, CHEN Zhongzheng¹², CHEN Shunde¹³, DENG Huaqing⁷, JIANG Tinglei¹⁴, ZHANG Libiao¹⁵, SHI Hongyan¹⁶, LU Xueli⁷, LI Quan³, LIU Zhu¹⁷, CUI Yaqian¹, LI Yuchun¹⁸

(1 Institute of Zoology, Chinese Academy of Sciences, Beijing 100101, China)

(2 School of Life Sciences, Guangzhou University, Guangzhou 510006, China)

(3 Kunming Institute of Zoology, Chinese Academy of Sciences, Kunming 650201, China)

(4 Sichuan Academy of Forestry, Chengdu 610081, China)

(5 College of Life Sciences, Northwest University, Xi'an 710069, China)

(6 School of Life Sciences, Nanjing Normal University, Nanjing 210023, China)

(7 School of Karst Science, Guizhou Normal University, Guiyang 550001, China)

(8 School of Life Sciences, Peking University, Beijing 100871, China)

(9 College of Life Science, China West Normal University, Nanchong 637002, China)

(10 School of Life Sciences, South China Normal University, Guangzhou 510631, China)

(11 College of Life Sciences, Beijing Normal University, Beijing 100875, China)

作者简介: 魏辅文 (1964–), 男, 博士, 研究员, 中国科学院院士, 主要从事保护生物学研究。

收稿日期: 2021–08–06; 接受日期: 2021–08–14

* 通讯作者, Corresponding authors, E-mail: weifw@ioz.ac.cn; yangqs@ioz.ac.cn; wuyizhouq@263.net; jiangxl@mail.kiz.ac.cn; shaoyliu@163.com

(12 School of Ecology and Environment, Anhui Normal University, Wuhu 241002, China)

(13 College of Life Science, Sichuan Normal University, Chengdu 610101, China)

(14 School of Environment, Northeast Normal University, Changchun 130117, China)

(15 Institute of Zoology, Guangdong Academy of Sciences, Guangzhou 510260, China)

(16 College of Life Science and Biotechnology, Mianyang Teacher's College, Mianyang 621000, China)

(17 College of Life Science and Technology, Mudanjiang Normal University, Mudanjiang 157100, China)

(18 Marine College, Shandong University (Weihai), Weihai 264209, China)

Abstract: China is one of the countries with the highest diversity of mammalian species. Knowledge of mammalian diversity and their taxonomy is fundamental to mammalian research and is the basis of scientific conservation of wild populations. To clarify the species diversity and important taxonomic information such as the taxonomic position of mammals in China, the China Mammalogical Society organized an editorial committee consisting of taxonomists studying different taxonomic groups. Based on previous taxonomic studies and the latest morphological and genetic evidences, the editorial committee produced the latest catalogue of mammalian species in China. This catalogue includes 12 orders, 59 families, 254 genera, and 686 species. The catalogue uses the taxonomy system based on phylogeny and fully discusses the validity of species taxonomy.

Key words: Mammal; Number of species; Taxonomy; Catalogue; China

中国地域辽阔, 地形复杂, 气候多样, 是世界上兽类资源最丰富的国家之一。为厘清中国兽类分类地位及物种数量, 中国动物学会兽类学分会组织国内长期致力于兽类各类群分类的研究人员, 成立了中国兽类名录修订编委会, 聘请我国兽类分类学界元老中国科学院动物研究所冯祚建先生和西华师范大学胡锦矗先生为顾问, 分别于2016年11月在广州大学、2017年6月在西华师范大学、2019年3月在贵州师范大学召开了3次兽类名录编撰研讨会, 讨论确定了中国兽类名录(初稿)。兽类学分会于2019年4月向本分会理事发送了兽类名录征求意见稿, 先后收到反馈意见和建议20余份。2020年10月19日, 在中国动物学会兽类学分会成立40周年暨《兽类学报》创刊40周年学术研讨会期间召开兽类名录第四次编委会, 2021年1月和5月分别召开了两次主编和副主编会议, 讨论形成了最新的中国兽类名录。

本名录包括我国现阶段(截止2021年6月)兽类12目59科254属686种, 各个目下科、属、种数量见表1, 物种详细名录见表2。现对名录分类系统和物种确定原则做两点简要说明:

1 分类系统更新

随着古兽类化石的逐渐积累和分子系统学的快速发展, 兽类各类群间的系统演化关系被重新评价, 在目、科和种级水平上发生了较大变化, 如原食虫目已分成非洲猬目(Afrosoricida)(Stanhope *et al.*, 1998)和劳亚食虫目(Eulipotyphla)(Waddell

et al., 1999), 翼手目已分为阴蝙蝠亚目(Yinpterochiroptera)和阳蝙蝠亚目(Yangochiroptera)(Teeling *et al.*, 2005), 鲸目与偶蹄目合并为鲸偶蹄目(Cetartiodactyla)(Montgelard *et al.*, 1997)。本名录采用了这些分类系统的变更, 并按照兽类各类群最新系统发育关系所构建的系统发生树进行编目。目、亚目和科水平按系统发生关系排列, 从系统发生树根部开始排序; 亚科、族、属、亚属、种组和种水平按拉丁学名字母进行排序。

2 物种有效性确定原则

物种的分类厘定应符合国际动物命名法规, 有凭证支持, 包括标本、实体、照片及文献等。形态与分子证据相结合确定, 如仅有分子证据暂不考虑。亚种提升为种需慎重, 确实需要提升需集体讨论且证据充分。对历史上确认有分布, 但现在已宣布灭绝的物种暂时不纳入, 如犀牛等。重引入物种且在野外已形成野生种群的物种纳入名录, 如麋鹿等。有标本但确定在中国无分布(类似迷鸟)的物种不纳入, 如马来大狐蝠。对有争议的物种、外来种等暂不纳入。

本名录及对应的即将出版的《中国兽类分类及分布》是对我国兽类物种分类和分布调查及研究结果的系统整理, 是我国历代兽类学工作者集体智慧的结晶, 可为动物学工作者及野生动物保护管理者开展兽类物种分类及鉴定提供参考, 为中国兽类多样性保护提供最新的基础资料。

表 1 中国兽类各分类阶元数量统计
Table 1 Summary of each taxon of mammal in China

| 目 Order | 科 Family | 属 Genus | 种 Species |
|----------------------|----------|---------|-----------|
| 长鼻目 PROBOSCIDEA | 1 | 1 | 1 |
| 海牛目 SIRENIA | 1 | 1 | 1 |
| 攀鼯目 SCANDENTIA | 1 | 1 | 1 |
| 灵长目 PRIMATES | 4 | 9 | 29 |
| 兔形目 LAGOMORPHA | 2 | 2 | 36 |
| 啮齿目 RODENTIA | 12 | 85 | 235 |
| 劳亚食虫目 EULIPOTYPHILA | 3 | 26 | 92 |
| 翼手目 CHIROPTERA | 8 | 36 | 140 |
| 鲸偶蹄目 CETARTIODACTYLA | 15 | 50 | 83 |
| 奇蹄目 PERISSODACTYLA | 1 | 1 | 3 |
| 鳞甲目 PHOLIDOTA | 1 | 1 | 2 |
| 食肉目 CARNIVORA | 10 | 41 | 63 |
| 合计 (数量) Total number | 59 | 254 | 686 |

表 2 中国兽类名录
Table 2 Catalogue of mammals in China

| 中、英文名 Chinese, English name | 学名 Species name | 中、英文名 Chinese, English name | 学名 Species name |
|-----------------------------|-------------------------------|-----------------------------|-------------------------------------|
| 长鼻目 PROBOSCIDEA | | 藏南猕猴 Arunachal Macaque | <i>Macaca munzala</i> |
| 象科 Elephantidae | | 藏酋猴 Tibetan Macaque | <i>Macaca thibetana</i> |
| 象属 <i>Elephas</i> | | 仰鼻猴属 <i>Rhinopithecus</i> | |
| 亚洲象 Asian Elephant | <i>Elephas maximus</i> | 滇金丝猴 | <i>Rhinopithecus bieti</i> |
| 海牛目 SIRENIA | | Yunnan Snub-nosed Monkey | |
| 儒艮科 Dugongidae | | 黔金丝猴 | <i>Rhinopithecus brelichi</i> |
| 儒艮属 <i>Dugong</i> | | Guizhou Snub-nosed Monkey | |
| 儒艮 <i>Dugong</i> | <i>Dugong dugong</i> | 川金丝猴 | <i>Rhinopithecus roxellana</i> |
| 攀鼯目 SCANDENTIA | | Sichuan Snub-nosed Monkey | |
| 树鼯科 Tupaiaidae | | 缅甸金丝猴 | <i>Rhinopithecus strykeri</i> |
| 树鼯属 <i>Tupaia</i> | | Myanmar Snub-nosed Monkey | |
| 北树鼯 Northern Tree Shrew | <i>Tupaia belangeri</i> | 长尾叶猴属 <i>Semnopithecus</i> | |
| 灵长目 PRIMATES | | 喜山长尾叶猴 Nepal Gray Langur | <i>Semnopithecus schistaceus</i> |
| 懒猴科 Lorisidae | | 乌叶猴属 <i>Trachypithecus</i> | |
| 懒猴属 <i>Nycticebus</i> | | 黑叶猴 François' Langur | <i>Trachypithecus francoisi</i> |
| 蜂猴 Slow Loris | <i>Nycticebus bengalensis</i> | 白头叶猴 White-headed Langur | <i>Trachypithecus leucocephalus</i> |
| 倭蜂猴 Pygmy Slow Loris | <i>Nycticebus pygmaeus</i> | 印支灰叶猴 | <i>Trachypithecus crepusculus</i> |
| 猴科 Cercopithecidae | | Indochinese Gray Langur | |
| 猕猴属 <i>Macaca</i> | | 中緬灰叶猴 Shan State Langur | <i>Trachypithecus melamera</i> |
| 红面猴 Stump-tailed Macaque | <i>Macaca arctoides</i> | 戴帽叶猴 Capped Langur | <i>Trachypithecus pileatus</i> |
| 台湾猕猴 Taiwan Macaque | <i>Macaca cyclopis</i> | 肖氏乌叶猴 Shortridgei' s Langur | <i>Trachypithecus shortridgei</i> |
| 猕猴 Rhesus Macaque | <i>Macaca mulatta</i> | 长臂猿科 Hylobatidae | |
| 北豚尾猴 | <i>Macaca leonina</i> | 白眉长臂猿属 <i>Hoolock</i> | |
| North Pig-tailed Macaque | | 西白眉长臂猿 | <i>Hoolock hoolock</i> |
| 熊猴 Assam Macaque | <i>Macaca assamensis</i> | Western Hoolock Gibbon | |
| 白颊猕猴 White-cheeked Macaque | <i>Macaca leucogenys</i> | 高黎贡白眉长臂猿 | <i>Hoolock tianxing</i> |
| | | Gaoligong Hoolock Gibbon | |
| | | 长臂猿属 <i>Hylobates</i> | |
| | | 白掌长臂猿 | <i>Hylobates lar</i> |
| | | White-handed Gibbon | |

| 中、英文名 Chinese, English name | 学名 Species name | 中、英文名 Chinese, English name | 学名 Species name |
|---|--------------------------------|--------------------------------|-----------------------------------|
| 冠长臂猿属 <i>Nomascus</i> | | 高山鼠兔 Alpine Pika | <i>Ochotona alpina</i> |
| 西黑冠长臂猿 Western Black Crested Gibbon | <i>Nomascus concolor</i> | 贺兰山鼠兔 Silver Pika | <i>Ochotona argentata</i> |
| 海南长臂猿 Hainan Gibbon | <i>Nomascus hainanus</i> | 长白山鼠兔 Korean Pika | <i>Ochotona coreana</i> |
| 北白颊长臂猿 Northern White Cheeked Gibbon | <i>Nomascus leucogenys</i> | 满洲里鼠兔 Mantchurica Pika | <i>Ochotona mantchurica</i> |
| 东黑冠长臂猿 Eastern Black Crested Gibbon | <i>Nomascus nasutus</i> | 蒙古鼠兔 Pallas' s Pika | <i>Ochotona pallasii</i> |
| 人科 Hominidae | | 啮齿目 RODENTIA | |
| 人属 <i>Homo</i> | | 河狸科 Castoridae | |
| 人 Human | <i>Homo sapiens</i> | 河狸属 <i>Castor</i> | |
| 兔形目 LAGOMORPHA | | 河狸 Eurasian Beaver | <i>Castor fiber</i> |
| 兔科 Leporidae | | 蹶鼠科 Sicistidae | |
| 兔属 <i>Lepus</i> | | 蹶鼠属 <i>Sicista</i> | |
| 云南兔 Yunnan Hare | <i>Lepus comus</i> | 长尾蹶鼠 Long-tailed Birch Mouse | <i>Sicista caudata</i> |
| 高丽兔 Korean Hare | <i>Lepus coreanus</i> | 中国蹶鼠 Chinese Birch Mouse | <i>Sicista concolor</i> |
| 海南兔 Hainan Hare | <i>Lepus hainanus</i> | 灰蹶鼠 Gray Birch Mouse | <i>Sicista pseudonapaea</i> |
| 东北兔 Manchurian Hare | <i>Lepus mandshuricus</i> | 草原蹶鼠 Southern Birch Mouse | <i>Sicista subtilis</i> |
| 灰尾兔 Woolly Hare | <i>Lepus oiostolus</i> | 天山蹶鼠 Tien Shan Birch Mouse | <i>Sicista tianshanica</i> |
| 华南兔 Chinese Hare | <i>Lepus sinensis</i> | 林跳鼠科 Zapodidae | |
| 中亚兔 Desert Hare | <i>Lepus tibetanus</i> | 林跳鼠属 <i>Eozapus</i> | |
| 雪兔 Mountain Hare | <i>Lepus timidus</i> | 四川林跳鼠 | <i>Eozapus setchuanus</i> |
| 蒙古兔 Tolai Hare | <i>Lepus tolai</i> | 中国跳鼠 | |
| 塔里木兔 Yarkand Hare | <i>Lepus yarkandensis</i> | 跳鼠科 Dipodidae | |
| 鼠兔科 Ochotonidae | | 五趾跳鼠属 <i>Allactaga</i> | |
| 鼠兔属 <i>Ochotona</i> | | 大五趾跳鼠 | <i>Allactaga major</i> |
| 扁颅鼠兔 Flat-skulled Pika | <i>Ochotona flatcalvarium</i> | Great Five-toed Jerboa | |
| 黄龙鼠兔 Huanglong Pika | <i>Ochotona huanglongensis</i> | 东方五趾跳鼠属 <i>Orientallactaga</i> | |
| 峨眉鼠兔 Emei Pika | <i>Ochotona saccharia</i> | 巴里坤跳鼠 Balikun Jerboa | <i>Orientallactaga balikunica</i> |
| 秦岭鼠兔 Tsing-Ling Pika | <i>Ochotona syrinx</i> | 巨泡五趾跳鼠 Gobi Jerboa | <i>Orientallactaga bullata</i> |
| 红耳鼠兔 Chinese Red Pika | <i>Ochotona erythrotis</i> | 五趾跳鼠 Siberian Jerboa | <i>Orientallactaga sibirica</i> |
| 灰颈鼠兔 Forrest' s Pika | <i>Ochotona forresti</i> | 肥尾跳鼠属 Pygeretmus | |
| 川西鼠兔 Glover' s Pika | <i>Ochotona gloveri</i> | 小地兔 Dwarf Fat-tailed Jerboa | <i>Pygeretmus pumilio</i> |
| 伊犁鼠兔 Ili Pika | <i>Ochotona iliensis</i> | 小五趾跳鼠属 <i>Scarturus</i> | |
| 突颅鼠兔 Kozlov' s Pika | <i>Ochotona koslovi</i> | 小五趾跳鼠 | <i>Scarturus elater</i> |
| 拉达克鼠兔 Ladak Pika | <i>Ochotona ladacensis</i> | Small Five-toed Jerboa | |
| 大耳鼠兔 Large-eared Pika | <i>Ochotona macrotis</i> | 五趾心颅跳鼠属 <i>Cardiocranius</i> | |
| 灰鼠兔 Royle' s Pika | <i>Ochotona roylli</i> | 五趾心颅跳鼠 | <i>Cardiocranius paradoxus</i> |
| 红鼠兔 Turkestan Red Pika | <i>Ochotona rutila</i> | Five-toed Pygmy Jerboa | |
| 草原鼠兔 Steppe Pika | <i>Ochotona pusilla</i> | 三趾心颅跳鼠属 Salpingotus | |
| 间颅鼠兔 Gansu Pika | <i>Ochotona cansus</i> | 肥尾心颅跳鼠 | <i>Salpingotus crassicauda</i> |
| 高原鼠兔 Plateau Pika | <i>Ochotona curzoniae</i> | Thick-tailed Pygmy Jerboa | |
| 达乌尔鼠兔 Daurian Pika | <i>Ochotona dauurica</i> | 三趾心颅跳鼠 | <i>Salpingotus kozlovi</i> |
| 奴布拉鼠兔 Nubra Pika | <i>Ochotona nubrica</i> | Kozlov' s Pygmy Jerboa | |
| 锡金鼠兔 Sikkim Pika | <i>Ochotona sikimaria</i> | 奇美跳鼠属 Chimaerodipus | |
| 藏鼠兔 Moupin Pika | <i>Ochotona tibetana</i> | 奇美跳鼠 Chimrea Jerboa | <i>Chimaerodipus auritus</i> |
| 狭颅鼠兔 Thomas' s Pika | <i>Ochotona thomasi</i> | 三趾跳鼠属 Dipus | |
| | | 塔里木跳鼠 | <i>Dipus deasyi</i> |
| | | Yarkand Three-toed Jerboa | |
| | | 三趾跳鼠 | <i>Dipus sagitta</i> |
| | | Northern Three-toed Jerboa | |

| 中、英文名 Chinese, English name | 学名 Species name | 中、英文名 Chinese, English name | 学名 Species name |
|--|---------------------------------|--|--------------------------------|
| 羽尾跳鼠属 <i>Stylodipus</i> | | 姬鼠属 <i>Apodemus</i> | |
| 蒙古羽尾跳鼠 Andrew's Three-toed Jerboa | <i>Stylodipus andrewsi</i> | 黑线姬鼠 Striped Field Mouse | <i>Apodemus agrarius</i> |
| 准噶尔羽尾跳鼠 Jungar Three-toed Jerboa | <i>Stylodipus sungorus</i> | 高山姬鼠 Chevrier's Field Mouse | <i>Apodemus chevrieri</i> |
| 羽尾跳鼠 Thick-tailed Three-toed Jerboa | <i>Stylodipus telum</i> | 中华姬鼠 South China Field Mouse | <i>Apodemus draco</i> |
| 长耳跳鼠属 <i>Euchoreutes</i> | | 澜沧江姬鼠 Lantsang Field Mouse | <i>Apodemus ilex</i> |
| 长耳跳鼠 Long-eared Jerboa | <i>Euchoreutes naso</i> | 大耳姬鼠 Large-eared Field Mouse | <i>Apodemus latronum</i> |
| 刺山鼠科 <i>Platacanthomyidae</i> | | 小黑姬鼠 Black Field Mouse | <i>Apodemus nigrus</i> |
| 猪尾鼠属 <i>Typhlomys</i> | | 喜马拉雅姬鼠 Himalayan Field Mouse | <i>Apodemus pallipes</i> |
| 沙巴猪尾鼠 Chapa Pygmy Dormouse | <i>Typhlomys chapensis</i> | 大林姬鼠 Korean Field Mouse | <i>Apodemus peninsulae</i> |
| 猪尾鼠 Soft-furred Tree Mouse | <i>Typhlomys cinereus</i> | 台湾姬鼠 Taiwan Field Mouse | <i>Apodemus semotus</i> |
| 大猪尾鼠 Daloushan Soft-furred Tree Mouse | <i>Typhlomys daloushanensis</i> | 乌拉尔姬鼠 Herb Field Mouse | <i>Apodemus uralensis</i> |
| 黄山猪尾鼠 Huangshan Blind Mouse | <i>Typhlomys huangshanensis</i> | 板齿鼠属 <i>Bandicota</i> | |
| 小猪尾鼠 Lesser Soft-furred Tree Mouse | <i>Typhlomys nanus</i> | 小板齿鼠 Lesser Bandicoot Rat | <i>Bandicota bengalensis</i> |
| 鼯形鼠科 <i>Spalacidae</i> | | 板齿鼠 Greater Bandicoot Rat | <i>Bandicota indica</i> |
| 凸颅鼯鼠属 <i>Eospalax</i> | | 大鼠属 <i>Berylmys</i> | |
| 高原鼯鼠 Plateau Zokor | <i>Eospalax baileyi</i> | 大泡灰鼠 Berdmore's Berylmy | <i>Berylmys berdmorei</i> |
| 甘肃鼯鼠 Gansu Zokor | <i>Eospalax cansus</i> | 青毛巨鼠 Bower's White-toothed Rat | <i>Berylmys bowersi</i> |
| 中华鼯鼠 Common Chinese Zokor | <i>Eospalax fontanierii</i> | 小泡灰鼠 Manipur White-toothed Rat | <i>Berylmys manipulus</i> |
| 罗氏鼯鼠 Rothschild's Zokor | <i>Eospalax rothschildi</i> | 中南树鼠属 <i>Chiromyscus</i> | |
| 秦岭鼯鼠 Qinling Mountain Zokor | <i>Eospalax rufescens</i> | 费氏树鼠 Indochinese Chiromyscus | <i>Chiromyscus chiropus</i> |
| 斯氏鼯鼠 Smith's Zokor | <i>Eospalax smithii</i> | 南洋鼠 Lang Bian Tree Rat | <i>Chiromyscus langbianis</i> |
| 平颅鼯鼠属 <i>Myospalax</i> | | 笔尾鼠属 <i>Chiropodomys</i> | |
| 草原鼯鼠 Steppe Zokor | <i>Myospalax aspalax</i> | 笔尾树鼠 Indomalayan Pencil-tailed Tree Mouse | <i>Chiropodomys gliroides</i> |
| 东北鼯鼠 North China Zokor | <i>Myospalax psilurus</i> | 大齿鼠属 <i>Dacnomys</i> | |
| 小竹鼠属 <i>Cannomys</i> | | 大齿鼠 Millard's Rat | <i>Dacnomys millardi</i> |
| 小竹鼠 Lesser Bamboo Rat | <i>Cannomys badius</i> | 壮鼠属 <i>Hadromys</i> | |
| 竹鼠属 <i>Rhizomys</i> | | 云南壮鼠 Yunnan Hadromys | <i>Hadromys yunnanensis</i> |
| 银星竹鼠 Hoary Bamboo Rat | <i>Rhizomys pruinosus</i> | 狨鼠属 <i>Hapalomys</i> | |
| 中华竹鼠 Chinese Bamboo Rat | <i>Rhizomys sinensis</i> | 小狨鼠 Lesser Marmoset Rat | <i>Hapalomys delacouri</i> |
| 大竹鼠 Indomalayan Bamboo Rat | <i>Rhizomys sumatrensis</i> | 长尾狨鼠 Long-tailed Marmoset Rat | <i>Hapalomys longicaudatus</i> |
| 鼠科 <i>Muridae</i> | | 小泡巨鼠属 <i>Leopoldamys</i> | |
| 短耳沙鼠属 <i>Brachiones</i> | | 小泡巨鼠 Edward's Leopoldamys | <i>Leopoldamys edwardsi</i> |
| 短耳沙鼠 Przewalski's Jird | <i>Brachiones przewalskii</i> | 耐氏大鼠 Neill's Long-tailed Giant Rat | <i>Leopoldamys neilli</i> |
| 沙鼠属 <i>Meriones</i> | | 王鼠属 <i>Maxomys</i> | |
| 郑氏沙鼠 Cheng's Gerbil | <i>Meriones chengi</i> | 红毛王鼠 Indomalayan Maxomys | <i>Maxomys surifer</i> |
| 红尾沙鼠 Libyan Jird | <i>Meriones libycus</i> | 巢鼠属 <i>Micromys</i> | |
| 子午沙鼠 Mid-day Gerbil | <i>Meriones meridianus</i> | 红耳巢鼠 Red-eared Harvest Mouse | <i>Micromys erythrotis</i> |
| 柽柳沙鼠 Tamarisk Gerbil | <i>Meriones tamariscinus</i> | 巢鼠 Eurasian Harvest Mouse | <i>Micromys minutus</i> |
| 长爪沙鼠 Mongolian Gerbil | <i>Meriones unguiculatus</i> | 小家鼠属 <i>Mus</i> | |
| 大沙鼠属 <i>Rhombomys</i> | | 锡金小鼠 Gairdner's Shrewmouse | <i>Mus pahari</i> |
| 大沙鼠 Great Gerbil | <i>Rhombomys opimus</i> | 卡氏小鼠 Ryukyu Mouse | <i>Mus caroli</i> |

| 中、英文名 Chinese, English name | 学名 Species name | 中、英文名 Chinese, English name | 学名 Species name |
|--|----------------------------------|-------------------------------------|----------------------------------|
| 仔鹿小鼠 Fawn-colored Mouse | <i>Mus cervicolor</i> | 水鼯属 <i>Arvicola</i> | |
| 丛林小鼠 Cook's Mouse | <i>Mus cookii</i> | 水鼯 Eurasian Water Vole | <i>Arvicola amphibius</i> |
| 小家鼠 House Mouse | <i>Mus musculus</i> | 东方兔尾鼠属 <i>Eolagurus</i> | |
| 地鼠属 <i>Nesokia</i> | | 黄兔尾鼠 Yellow Stepped Vole | <i>Eolagurus luteus</i> |
| 印度地鼠 Short-tailed Bandicoot Rat | <i>Nesokia indica</i> | 蒙古兔尾鼠 Przewalskii's Stepped Vole | <i>Eolagurus przewalskii</i> |
| 白腹鼠属 <i>Niviventer</i> | | 兔尾鼠属 <i>Lagurus</i> | |
| 安氏白腹鼠 Anderson's Niviventer | <i>Niviventer andersoni</i> | 草原兔尾鼠 Stepped Vole | <i>Lagurus lagurus</i> |
| 梵鼠 Brahma White-bellied Rat | <i>Niviventer brahma</i> | 林旅鼠属 <i>Myopus</i> | |
| 短尾社鼠 Bukit Niviventer | <i>Niviventer bukit</i> | 林旅鼠 Wood Lemming | <i>Myopus schisticolor</i> |
| 北社鼠 Confucian Niviventer | <i>Niviventer confucianus</i> | 东方田鼠属 <i>Alexandromys</i> | |
| 台湾白腹鼠 Spiny Taiwan Niviventer | <i>Niviventer coninga</i> | 东方田鼠 Reed Vole | <i>Alexandromys fortis</i> |
| 褐尾鼠 Sundaic Arboreal Niviventer | <i>Niviventer cremoriventer</i> | 台湾田鼠 Taiwan Vole | <i>Alexandromys kikuchii</i> |
| 台湾社鼠 Soft-furred Taiwan Niviventer | <i>Niviventer culturatus</i> | 柴达木根田鼠 Lacustrine Vole | <i>Alexandromys limnophilus</i> |
| 灰腹鼠 Smoke-bellied Niviventer | <i>Niviventer eha</i> | 莫氏田鼠 Maximowicz's Vole | <i>Alexandromys maximowiczii</i> |
| 川西白腹鼠 Sichuan Niviventer | <i>Niviventer excelsior</i> | 蒙古田鼠 Mongolian Vole | <i>Alexandromys mongolicus</i> |
| 冯氏白腹鼠 Jilong Soft-furred Niviventer | <i>Niviventer fengi</i> | 根田鼠 Root Vole | <i>Alexandromys oeconomus</i> |
| 针毛鼠 Chestnut White-bellied Rat | <i>Niviventer fulvescens</i> | 毛足田鼠属 <i>Lasiopodomys</i> | |
| 剑纹小社鼠 Least Niviventer | <i>Niviventer gladiusmaculus</i> | 布氏田鼠 Brandt's Vole | <i>Lasiopodomys brandtii</i> |
| 华南针毛鼠 Eastern Spiny-haired Rat | <i>Niviventer huang</i> | 狭颅田鼠 Narrow-headed Vole | <i>Lasiopodomys gregalis</i> |
| 海南社鼠 Hainan Niviventer | <i>Niviventer lotipes</i> | 棕色田鼠 Mandarin Vole | <i>Lasiopodomys mandarinus</i> |
| 湄公针毛鼠 Mekongis Niviventer | <i>Niviventer mekongis</i> | 田鼠属 <i>Microtus</i> | |
| 喜马拉雅社鼠 Himalayan Niviventer | <i>Niviventer niviventer</i> | 黑田鼠 Field Vole | <i>Microtus agrestis</i> |
| 片马社鼠 Pianma Niviventer | <i>Niviventer pianmaensis</i> | 伊犁田鼠 Kazakhstan Vole | <i>Microtus ilaeus</i> |
| 山东社鼠 Sacer Niviventer | <i>Niviventer sacer</i> | 帕米尔田鼠 Pamir Vole | <i>Microtus juldaschi</i> |
| 家鼠属 <i>Rattus</i> | | 社田鼠 Social Vole | <i>Microtus socialis</i> |
| 黑缘齿鼠 Indochinese Forest Rat | <i>Rattus andamanensis</i> | 松田鼠属 <i>Neodon</i> | |
| 缅鼠 Pacific Rat | <i>Rattus exulans</i> | 克氏松田鼠 Clark's Vole | <i>Neodon clarkei</i> |
| 黄毛鼠 Losea Vole | <i>Rattus losea</i> | 云南松田鼠 Yunnan Mountain Vole | <i>Neodon forresti</i> |
| 大足鼠 White-footed Indochinese Rat | <i>Rattus nitidus</i> | 青海松田鼠 Smoeky Vole | <i>Neodon fuscus</i> |
| 褐家鼠 Brown Rat | <i>Rattus norvegicus</i> | 高原松田鼠 Irene's Mountain Vole | <i>Neodon irene</i> |
| 黑家鼠 Black Rat | <i>Rattus rattus</i> | 白尾松田鼠 Blyth's Mountain Vole | <i>Neodon leucurus</i> |
| 黄胸鼠 Oriental House Rat | <i>Rattus tanezumi</i> | 林芝松田鼠 Linzhi Mountain Vole | <i>Neodon linzhiensis</i> |
| 东京鼠属 <i>Tonkinomys</i> | | 墨脱松田鼠 Medog Mountain Vole | <i>Neodon medogensis</i> |
| 道氏东京鼠 Daovantien's Lime-stone Rat | <i>Tonkinomys daovantieni</i> | 聂拉木松田鼠 Nyalam Mountain Vole | <i>Neodon nyalamensis</i> |
| 长尾攀鼠属 <i>Vandeleuria</i> | | 锡金松田鼠 Sikkim Mountain Vole | <i>Neodon sikimensis</i> |
| 长尾攀鼠 Indomalayan Vandeleuria | <i>Vandeleuria oleracea</i> | 沟牙田鼠属 <i>Proedromys</i> | |
| 滇攀鼠属 <i>Vernaya</i> | | 沟牙田鼠 Duke of Bedford's Vole | <i>Proedromys bedfordi</i> |
| 滇攀鼠 Vernay's Climbing Mouse | <i>Vernaya fulva</i> | 凉山沟牙田鼠 Liangshan Vole | <i>Proedromys liangshanensis</i> |
| 仓鼠科 <i>Cricetidae</i> | | 川西田鼠属 <i>Volemys</i> | |
| 鼯形田鼠属 <i>Ellobius</i> | | 四川田鼠 Sichuan Vole | <i>Volemys millicens</i> |
| 鼯形田鼠 Eastern Mole Vole | <i>Ellobius talpinus</i> | 川西田鼠 Marie's Vole | <i>Volemys musseri</i> |
| | | 高山鼯属 <i>Alticola</i> | |
| | | 白尾高山鼯 White-tailed Mountain Vole | <i>Alticola albicauda</i> |

| 中、英文名 Chinese, English name | 学名 Species name | 中、英文名 Chinese, English name | 学名 Species name |
|-----------------------------------|----------------------------------|--|---------------------------------------|
| 银色高山鼯 Silver Mountain Vole | <i>Alticola argentatus</i> | 长尾仓鼠 Long-tailed Dwarf Hamster | <i>Cricetulus longicaudatus</i> |
| 戈壁阿尔泰高山鼯 Gobi Altai Mountain Vole | <i>Alticola barakshin</i> | 灰仓鼠 Gray Dwarf Hamster | <i>Cricetulus migratorius</i> |
| 大耳高山鼯 Large-eared Mountain Vole | <i>Alticola macrotis</i> | 索氏仓鼠 Sokolov's Dwarf Hamster | <i>Cricetulus sokolovi</i> |
| 蒙古高山鼯 Mogolian Mountain Vole | <i>Alticola semicanus</i> | 原仓鼠属 <i>Cricetus</i> | |
| 斯氏高山鼯 Stoliczka's Mountain Vole | <i>Alticola stoliczkanus</i> | 原仓鼠 Black-bellied Dwarf Hamster | <i>Cricetus cricetus</i> |
| 扁颅高山鼯 Flat-headed Mountain Vole | <i>Alticola strelzowi</i> | 毛足鼠属 <i>Phodopus</i> | |
| 绒鼯属 <i>Caryomys</i> | | 坎氏毛足鼠 Campbell's Hamster | <i>Phodopus campbelli</i> |
| 洮州绒鼯 Eva's Vole | <i>Caryomys eva</i> | 小毛足鼠 Desert Hamster | <i>Phodopus roborovskii</i> |
| 苛岚绒鼯 Inez's Vole | <i>Caryomys inez</i> | 大仓鼠属 <i>Tscherskia</i> | |
| 棕背鼯属 <i>Craseomys</i> | | 大仓鼠 Greater Long-tailed Hamster | <i>Tscherskia triton</i> |
| 棕背鼯 Gray Red-backed Vole | <i>Craseomys rufocanus</i> | 豪猪科 Hystricidae | |
| 绒鼠属 <i>Eothenomys</i> | | 帚尾豪猪属 <i>Atherurus</i> | |
| 克钦绒鼠 Cachin Chinese Vole | <i>Eothenomys cachinus</i> | 帚尾豪猪 Asiatic Brush-tailed Porcupine | <i>Atherurus macrourus</i> |
| 中华绒鼠 Sichuan Chinese Vole | <i>Eothenomys chinensis</i> | 豪猪属 <i>Hystrix</i> | |
| 福建绒鼠 Fujian Chinese Vole | <i>Eothenomys colurnus</i> | 马来豪猪 Malayan Porcupine | <i>Hystrix brachyura</i> |
| 西南绒鼠 Southwest Chinese Vole | <i>Eothenomys custos</i> | 睡鼠科 Gliridae | |
| 滇绒鼠 Yunnan Chinese Vole | <i>Eothenomys eleusis</i> | 毛尾睡鼠属 <i>Chaetocauda</i> | |
| 丽江绒鼠 Lijiang Chinese Vole | <i>Eothenomys fidelis</i> | 四川毛尾睡鼠 Sichuan Dormouse | <i>Chaetocauda sichuanensis</i> |
| 康定绒鼠 Kangding Chinese Vole | <i>Eothenomys hintoni</i> | 林睡鼠属 <i>Dryomys</i> | |
| 金阳绒鼠 Jinyang Chinese Vole | <i>Eothenomys jinyangensis</i> | 林睡鼠 Forest Dormouse | <i>Dryomys nitedula</i> |
| 螺髻山绒鼠 Luojishan Chinese Vole | <i>Eothenomys luojishanensis</i> | 鼯鼠科 Pteromyidae | |
| 美姑绒鼠 Meigu Chinese Vole | <i>Eothenomys meiguensis</i> | 沟牙鼯鼠属 <i>Aëretes</i> | |
| 黑腹绒鼠 David's Chinese Vole | <i>Eothenomys melanogaster</i> | 沟牙鼯鼠 Northern Chinese Flying Squirrel | <i>Aëretes melanopterus</i> |
| 大绒鼠 Large Chinese Vole | <i>Eothenomys miletus</i> | 毛耳飞鼠属 <i>Belomys</i> | |
| 昭通绒鼠 Black-eared Chinese Vole | <i>Eothenomys olitor</i> | 毛耳飞鼠 Hairy-footed Flying Squirrel | <i>Belomys pearsonii</i> |
| 玉龙绒鼠 Yulong Chinese Vole | <i>Eothenomys proditor</i> | 比氏鼯鼠属 <i>Biswamoyopterus</i> | |
| 石棉绒鼠 Shimian Chinese Vole | <i>Eothenomys shimianensis</i> | 高黎贡比氏鼯鼠 Mount Gaoligong Flying Squirrel | <i>Biswamoyopterus gaoligongensis</i> |
| 川西绒鼠 Western Sichuan Chinese Vole | <i>Eothenomys tarquinius</i> | 绒毛鼯鼠属 <i>Eupetaurus</i> | |
| 德钦绒鼠 Wardi's Chinese Vole | <i>Eothenomys wardi</i> | 绒毛鼯鼠 Woolly Flying Squirrel | <i>Eupetaurus cinereus</i> |
| 鼯属 <i>Myodes</i> | | 西藏绒毛鼯鼠 Tibetan Woolly Flying Squirrel | <i>Eupetaurus tibetensis</i> |
| 灰棕背鼯 Tien Shan Red-backed Vole | <i>Myodes centralis</i> | 云南绒毛鼯鼠 Yunnan Woolly Flying Squirrel | <i>Eupetaurus nivamons</i> |
| 红背鼯 Northern Red-backed Vole | <i>Myodes rutilus</i> | 箭尾飞鼠属 <i>Hylopetes</i> | |
| 短尾仓鼠属 <i>Allocricetulus</i> | | 黑白飞鼠 Particolored Flying Squirrel | <i>Hylopetes alboniger</i> |
| 无斑短尾仓鼠 Mogolian Hamster | <i>Allocricetulus curtatus</i> | 海南小飞鼠 Indochinese Flying Squirrel | <i>Hylopetes phayrei</i> |
| 短尾仓鼠 Eversman's Hamster | <i>Allocricetulus eversmanni</i> | 鼯鼠属 <i>Petaurista</i> | |
| 甘肃仓鼠属 <i>Cansumys</i> | | 栗背大鼯鼠 Chestnut Great Flying Squirrel | <i>Petaurista albiventer</i> |
| 甘肃仓鼠 Gansu Hamster | <i>Cansumys canus</i> | 红白鼯鼠 Red and White Giant Flying Squirrel | <i>Petaurista alborufus</i> |
| 仓鼠属 <i>Cricetulus</i> | | | |
| 高山仓鼠 Ladak Hamster | <i>Cricetulus alticola</i> | | |
| 黑线仓鼠 Striped Dwarf Hamster | <i>Cricetulus barabensis</i> | | |
| 藏仓鼠 Tibetan Dwarf Hamster | <i>Cricetulus kamensis</i> | | |

| 中、英文名 Chinese, English name | 学名 Species name | 中、英文名 Chinese, English name | 学名 Species name |
|---|-------------------------------------|-------------------------------------|----------------------------------|
| 灰头小鼯鼠 Grey-headed Flying Squirrel | <i>Petaurista caniceps</i> | 侧纹岩松鼠 Forrest's Rock Squirrel | <i>Rupestes forresti</i> |
| 海南鼯鼠 Hainan Flying Squirrel | <i>Petaurista hainana</i> | 岩松鼠属 <i>Sciurotamias</i> | |
| 栗褐鼯鼠 Hodgson's Giant Flying Squirrel | <i>Petaurista magnificus</i> | 岩松鼠 Pere David's Rock Squirrel | <i>Sciurotamias davidianus</i> |
| 斑点鼯鼠 Spotted Giant Flying Squirrel | <i>Petaurista marica</i> | 松鼠属 <i>Sciurus</i> | |
| 红背鼯鼠 Red Giant Flying Squirrel | <i>Petaurista petaurista</i> | 北松鼠 Eurasian Red Squirrel | <i>Sciurus vulgaris</i> |
| 霜背大鼯鼠 Indian Giant Flying Squirrel | <i>Petaurista philippensis</i> | 黄鼠属 <i>Spermophilus</i> | |
| 橙色小鼯鼠 Small Brown-backed Flying Squirrel | <i>Petaurista sybilla</i> | 阿拉善黄鼠 Alashan Ground Squirrel | <i>Spermophilus alashanicus</i> |
| 灰鼯鼠 Chinese Giant Flying Squirrel | <i>Petaurista xanthotis</i> | 达乌尔黄鼠 Daurian Ground Squirrel | <i>Spermophilus dauricus</i> |
| 喜山大耳飞鼠属 <i>Priapomys</i> | | 赤颊黄鼠 Red-cheeked Ground Squirrel | <i>Spermophilus erythrogenys</i> |
| 李氏小飞鼠 Leonard's Flying Squirrel | <i>Priapomys leonardi</i> | 天山黄鼠 Relict Ground Squirrel | <i>Spermophilus relictus</i> |
| 飞鼠属 <i>Pteromys</i> | | 长尾黄鼠 Long-tailed Ground Squirrel | <i>Spermophilus undulatus</i> |
| 小飞鼠 Siberian Flying Squirrel | <i>Pteromys volans</i> | 花鼠属 <i>Tamias</i> | |
| 复齿鼯鼠属 <i>Trogopterus</i> | | 花鼠 Siberian Chipmunk | <i>Tamias sibiricus</i> |
| 复齿鼯鼠 Complex-toothed Flying Squirrel | <i>Trogopterus xanthipes</i> | 花松鼠属 <i>Tamiops</i> | |
| 松鼠科 Sciuridae | | 倭花鼠 Maritime Striped Squirrel | <i>Tamiops maritimus</i> |
| 丽松鼠属 <i>Callosciurus</i> | | 明纹花鼠 Himalayan Striped Squirrel | <i>Tamiops mclellandii</i> |
| 赤腹松鼠 Pallas's Squirrel | <i>Callosciurus erythraeus</i> | 隐纹花鼠 Swinhoe's Striped Squirrel | <i>Tamiops swinhoei</i> |
| 中南松鼠 Inornate Squirrel | <i>Callosciurus inornatus</i> | 劳亚食虫目 EULIPOTYPHILA | |
| 黄足松鼠 Phayre's Squirrel | <i>Callosciurus phayrei</i> | 鼯科 Talpidae | |
| 蓝腹松鼠 Irrawaddy Squirrel | <i>Callosciurus pygerythrus</i> | 高山鼯属 <i>Alpiscaptulus</i> | |
| 纹腹松鼠 Anderson's Squirrel | <i>Callosciurus quinquestriatus</i> | 墨脱鼯 Medog Mole | <i>Alpiscaptulus medogensis</i> |
| 长吻松鼠属 <i>Dremomys</i> | | 甘肃鼯属 <i>Scapanulus</i> | |
| 橙喉长吻松鼠 Red-throated Squirrel | <i>Dremomys gularis</i> | 甘肃鼯 Gansu Mole | <i>Scapanulus oweni</i> |
| 橙腹长吻松鼠 Orange-bellied Himalayan Squirrel | <i>Dremomys lokriah</i> | 长尾鼯属 <i>Scaptonyx</i> | |
| 珀氏长吻松鼠 Perny's Long-nosed Squirrel | <i>Dremomys pernyi</i> | 长尾鼯 Long-tailed Mole | <i>Scaptonyx fusicaudus</i> |
| 红腿长吻松鼠 Red-hipped Squirrel | <i>Dremomys pyrrhomerus</i> | 东方鼯属 <i>Euroscaptor</i> | |
| 红颊长吻松鼠 Asian Red-cheeked Squirrel | <i>Dremomys rufigenis</i> | 宽齿鼯 Greater Chinese Mole | <i>Euroscaptor grandis</i> |
| 旱獭属 <i>Marmota</i> | | 库氏鼯 Kuznetsov's Mole | <i>Euroscaptor kuznetsovi</i> |
| 灰旱獭 Gray Marmot | <i>Marmota baibacina</i> | 长吻鼯 Long-nosed Mole | <i>Euroscaptor longirostris</i> |
| 长尾旱獭 Long-tailed Marmot | <i>Marmota caudata</i> | 短尾鼯 Japanese Mountain Mole | <i>Euroscaptor micrura</i> |
| 喜马拉雅旱獭 Himalayan Marmot | <i>Marmota himalayana</i> | 奥氏鼯 Orlov's Mole | <i>Euroscaptor orlovi</i> |
| 西伯利亚旱獭 Tarbagan Marmot | <i>Marmota sibirica</i> | 缺齿鼯属 <i>Mogera</i> | |
| 线松鼠属 <i>Menetes</i> | | 海岛缺齿鼯 Insular Mole | <i>Mogera insularis</i> |
| 线松鼠 Indochinese Ground Squirrel | <i>Menetes berdmorei</i> | 台湾缺齿鼯 Kanoana's Mole | <i>Mogera kanoana</i> |
| 巨松鼠属 <i>Ratufa</i> | | 华南缺齿鼯 La Touche's Mole | <i>Mogera latouchei</i> |
| 巨松鼠 Black Giant Squirrel | <i>Ratufa bicolor</i> | 大缺齿鼯 Ussuri Mole | <i>Mogera robusta</i> |
| 侧纹岩松鼠属 <i>Rupestes</i> | | 钓鱼岛鼯 Senkaku Mole | <i>Mogera uchidai</i> |
| | | 白尾鼯属 <i>Parascaptor</i> | |
| | | 白尾鼯 White-tailed Mole | <i>Parascaptor leucura</i> |
| | | 麝鼯属 <i>Scaptochirus</i> | |
| | | 麝鼯 Short-faced Mole | <i>Scaptochirus moschatus</i> |

| 中、英文名 Chinese, English name | 学名 Species name | 中、英文名 Chinese, English name | 学名 Species name |
|---|-------------------------------------|--|---------------------------------|
| 鼯鼠属 <i>Uropsilus</i> | | 台湾长尾麝鼯 Tadae Shrew | <i>Crocidura tadae</i> |
| 等齿鼯鼠 Equivalent Teeth Shrew Mole | <i>Uropsilus aequodonenia</i> | 西南中麝鼯 Voracious White-toothed Shrew | <i>Crocidura vorax</i> |
| 峨眉鼯鼠 Anderson's Shrew Mole | <i>Uropsilus andersoni</i> | 五指山小麝鼯 Hainan White-toothed Shrew | <i>Crocidura wuchihensis</i> |
| 栗背鼯鼠 Black-backed Shrew Mole | <i>Uropsilus atronates</i> | 臭鼯属 <i>Suncus</i> | |
| 大别山鼯鼠 Dabie Mountains Shrew Mole | <i>Uropsilus dabieshanensis</i> | 小臭鼯 Etruscan Shrew | <i>Suncus etruscus</i> |
| 长吻鼯鼠 Gracile Shrew Mole | <i>Uropsilus gracilis</i> | 臭鼯 Asian House Shrew | <i>Suncus murinus</i> |
| 贡山鼯鼠 Inquisitive Shrew Mole | <i>Uropsilus investigator</i> | 短尾鼯鼠属 <i>Anourosorex</i> | |
| 雪山鼯鼠 Snow Mountain Shrew Mole | <i>Uropsilus nivatus</i> | 四川短尾鼯 Chinese Mole Shrew | <i>Anourosorex squamipes</i> |
| 少齿鼯鼠 Chinese Shrew Mole | <i>Uropsilus soricipes</i> | 台湾短尾鼯 Taiwanese Mole Shrew | <i>Anourosorex yamashinai</i> |
| 猬科 Erinaceidae | | 黑齿鼯鼠属 <i>Blarinella</i> | |
| 刺猬属 <i>Erinaceus</i> | | 川鼯 Asiatic Short-tailed Shrew | <i>Blarinella quadratacauda</i> |
| 东北刺猬 Amur Hedgehog | <i>Erinaceus amurensis</i> | 狭颅黑齿鼯鼠 Burmese Short-tailed Shrew | <i>Blarinella wardi</i> |
| 大耳猬属 <i>Hemiechinus</i> | | 异黑齿鼯鼠属 <i>Parablarinella</i> | |
| 大耳猬 Long-eared Hedgehog | <i>Hemiechinus auritus</i> | 淡灰黑齿鼯鼠 Gray Short-tailed Shrew | <i>Parablarinella griselda</i> |
| 林猬属 <i>Mesechinus</i> | | 水鼯属 <i>Chimarrogale</i> | |
| 达乌尔猬 Daurian Hedgehog | <i>Mesechinus dauuricus</i> | 喜马拉雅水鼯 Himalayan Water Shrew | <i>Chimarrogale himalayica</i> |
| 侯氏猬 Hugh's Hedgehog | <i>Mesechinus hughii</i> | 利安德水鼯 Himalayan Water Shrew | <i>Chimarrogale leander</i> |
| 小齿猬 Small-toothed Hedgehog | <i>Mesechinus miodon</i> | 灰腹水鼯 Chinese Water Shrew | <i>Chimarrogale styani</i> |
| 高黎贡林猬 Gaoligong Forest Hedgehog | <i>Mesechinus wangi</i> | 缺齿鼯鼠属 <i>Chodsigoa</i> | |
| 毛猬属 <i>Hylomys</i> | | 高氏缺齿鼯 Van Sung's Shrew | <i>Chodsigoa caovansunga</i> |
| 毛猬 Short-tailed Gymnure | <i>Hylomys suillus</i> | 烟黑缺齿鼯 Dusky Long-tailed Shrew | <i>Chodsigoa furva</i> |
| 新毛猬属 <i>Neohylomys</i> | | 霍氏缺齿鼯 Hoffmann's Long-tailed Shrew | <i>Chodsigoa hoffmanni</i> |
| 海南毛猬 Hainan Gymnure | <i>Neohylomys hainanensis</i> | 川西缺齿鼯 De Winton's Shrew | <i>Chodsigoa hypsibia</i> |
| 鼯鼠属 <i>Neotetracus</i> | | 云南缺齿鼯 Lowe's Shrew | <i>Chodsigoa parca</i> |
| 中国鼯鼠 Shrew Gymnure | <i>Neotetracus sinensis</i> | 滇北缺齿鼯 Pygmy Brown-toothed Shrew | <i>Chodsigoa parva</i> |
| 鼯鼠科 Soricidae | | 大缺齿鼯 Salenski's Shrew | <i>Chodsigoa salenskii</i> |
| 麝鼠属 <i>Crocidura</i> | | 斯氏缺齿鼯 Smith's Shrew | <i>Chodsigoa smithii</i> |
| 安徽麝鼠 Anhui White-toothed Shrew | <i>Crocidura anhuiensis</i> | 细尾缺齿鼯 Lesser Taiwanese Shrew | <i>Chodsigoa sodalis</i> |
| 灰麝鼠 Asian Gray White-toothed Shrew | <i>Crocidura attenuata</i> | 须弥鼯鼠属 <i>Episoriculus</i> | |
| 东阳江麝鼠 Dongyangjiang White-toothed Shrew | <i>Crocidura dongyangjiangensis</i> | 米什米长尾鼯鼠 Mishmi Brown-toothed Shrew | <i>Episoriculus baileyi</i> |
| 白尾梢大麝鼠 Large White-toothed Shrew | <i>Crocidura dracula</i> | 褐腹长尾鼯鼠 Hodgsons's Brown-toothed Shrew | <i>Episoriculus caudatus</i> |
| 印支小麝鼠 Indochinese White-toothed Shrew | <i>Crocidura indochinensis</i> | 台湾长尾鼯鼠 Taiwanese Brown-toothed Shrew | <i>Episoriculus fumidus</i> |
| 大麝鼠 Ussuri White-toothed Shrew | <i>Crocidura lasiura</i> | 大长尾鼯鼠 Long-tailed Brown-toothed Shrew | <i>Episoriculus leucops</i> |
| 华南中麝鼠 Chinese White-toothed Shrew | <i>Crocidura rapax</i> | 小长尾鼯鼠 Long-tailed Mountain Shrew | <i>Episoriculus macrurus</i> |
| 山东小麝鼠 Shantung White-toothed Shrew | <i>Crocidura shantungensis</i> | 灰腹长尾鼯鼠 Thomas's Brown-toothed Shrew | <i>Episoriculus sacratu</i> |
| 西伯利亚麝鼠 Siberian Shrew | <i>Crocidura sibirica</i> | | |
| 北小麝鼠 Lesser White-toothed Shrew | <i>Crocidura suaveolens</i> | | |
| 台湾灰麝鼠 Taiwanese Gray White-toothed Shrew | <i>Crocidura tanakae</i> | | |

| 中、英文名 Chinese, English name | 学名 Species name | 中、英文名 Chinese, English name | 学名 Species name |
|--------------------------------|----------------------------------|--------------------------------|---------------------------------------|
| 长尾鼯鼠属 <i>Soriculus</i> | | 蹄蝠科 Hipposideridae | |
| 大爪长尾鼯鼠 Himalayan Shrew | <i>Soriculus nigrescens</i> | 三叶蹄蝠属 <i>Aselliscus</i> | |
| 蹠足鼯鼠属 <i>Nectogale</i> | | 三叶小蹄蝠 | <i>Aselliscus stoliczkanus</i> |
| 蹠足鼯鼠 Elegant Water Shrew | <i>Nectogale elegans</i> | Stoliczka's Asian Trident Bat | |
| 水鼯鼠属 <i>Neomys</i> | | 无尾蹄蝠属 <i>Coelops</i> | |
| 水鼯鼠 Eurasian Water Shrew | <i>Neomys fodiens</i> | 无尾蹄蝠 Tail-less Leaf-nosed Bat | <i>Coelops frithii</i> |
| 鼯鼠属 <i>Sorex</i> | | 蹄蝠属 <i>Hipposideros</i> | |
| 天山鼯鼠 Tien Shan Shrew | <i>Sorex asper</i> | 大蹄蝠 Greater Leaf-nosed Bat | <i>Hipposideros armiger</i> |
| 小纹背鼯鼠 Lesser Striped Shrew | <i>Sorex bedfordiae</i> | 灰小蹄蝠 Ashy Roundleaf Bat | <i>Hipposideros cineraceus</i> |
| 中鼯鼠 Laxmann's Shrew | <i>Sorex caecutiens</i> | 大耳小蹄蝠 Fulvus Leaf-nosed Bat | <i>Hipposideros fulvus</i> |
| 甘肃鼯鼠 Gansu Shrew | <i>Sorex cansulus</i> | 中蹄蝠 Horsfield's Leaf-nosed Bat | <i>Hipposideros larvatus</i> |
| 纹背鼯鼠 Stripe-backed Shrew | <i>Sorex cylindricauda</i> | 莱氏蹄蝠 | <i>Hipposideros lylei</i> |
| 大齿鼯鼠 | <i>Sorex daphaenodon</i> | Shield-faced Leaf-nosed Bat | |
| Siberian Large-toothed Shrew | | 小蹄蝠 Least Leaf-nosed Bat | <i>Hipposideros pomona</i> |
| 云南鼯鼠 Chinese Highland Shrew | <i>Sorex excelsus</i> | 普氏蹄蝠 Pratt's Leaf-nosed Bat | <i>Hipposideros pratti</i> |
| 细鼯鼠 Slender Shrew | <i>Sorex gracillimus</i> | 菊头蝠科 Rhinolophidae | |
| 远东鼯鼠 Taiga Shrew | <i>Sorex isodon</i> | 菊头蝠属 <i>Rhinolophus</i> | |
| 柯氏鼯鼠 Kozlov's Shrew | <i>Sorex kozlovi</i> | 马铁菊头蝠 | <i>Rhinolophus ferrumequinum</i> |
| 姬鼯鼠 Eurasian Least Shrew | <i>Sorex minutissimus</i> | Greater Horseshoe Bat | |
| 小鼯鼠 Eurasian Pygmy Shrew | <i>Sorex minutus</i> | 西南菊头蝠 | <i>Rhinolophus xinanzhongguoensis</i> |
| 大鼯鼠 Ussuri Shrew | <i>Sorex mirabilis</i> | Middle Kingdom Horseshoe Bat | |
| 扁颅鼯鼠 Flat-skulled Shrew | <i>Sorex roboratus</i> | 中菊头蝠 | <i>Rhinolophus affinis</i> |
| 陕西鼯鼠 Chinese Shrew | <i>Sorex sinalis</i> | Intermediate Horseshoe Bat | |
| 藏鼯鼠 Tibetan Shrew | <i>Sorex tibetanus</i> | 马来菊头蝠 Malayan Horseshoe Bat | <i>Rhinolophus malayanus</i> |
| 苔原鼯鼠 Tundra Shrew | <i>Sorex tundrensis</i> | 小褐菊头蝠 | <i>Rhinolophus stheno</i> |
| 长爪鼯鼠 Long-clawed Shrew | <i>Sorex unguiculatus</i> | Lesser Brown Horseshoe Bat | |
| 翼手目 CHIROPTERA | | 皮氏菊头蝠 | <i>Rhinolophus pearsonii</i> |
| 狐蝠科 Pteropodidae | | Pearson's Horseshoe Bat | |
| 犬蝠属 <i>Cynopterus</i> | | 云南菊头蝠 | <i>Rhinolophus yunanensis</i> |
| 短耳犬蝠 Lesser Dog-face Fruit Bat | <i>Cynopterus brachyotis</i> | Dobson's Horseshoe Bat | |
| 犬蝠 Cynopterus Bat | <i>Cynopterus sphinx</i> | 大耳菊头蝠 Big-eared Horseshoe Bat | <i>Rhinolophus macrotis</i> |
| 大长舌果蝠属 <i>Eonycteris</i> | | 马氏菊头蝠 | <i>Rhinolophus marshalli</i> |
| 大长舌果蝠 Dawn Bat | <i>Eonycteris spelaea</i> | Marshall's Horseshoe Bat | |
| 小长舌果蝠属 <i>Macroglossus</i> | | 贵州菊头蝠 King Horseshoe Bat | <i>Rhinolophus rex</i> |
| 安氏长舌果蝠 | <i>Macroglossus sobrinus</i> | 施氏菊头蝠 | <i>Rhinolophus schnitzleri</i> |
| Hill Long-tongued Fruit Bat | | Schnitzler's Horseshoe Bat | |
| 无尾果蝠属 <i>Megaerops</i> | | 清迈菊头蝠 Thai Horseshoe Bat | <i>Rhinolophus siamensis</i> |
| 无尾果蝠 Tailless Fruit Bat | <i>Megaerops ecaudatus</i> | 短翼菊头蝠 Blyth's Horseshoe Bat | <i>Rhinolophus lepidus</i> |
| 泰国无尾果蝠 | <i>Megaerops niphanae</i> | 单角菊头蝠 | <i>Rhinolophus monoceros</i> |
| Ratanaworabhan's Fruit Bat | | Formosan Least Horseshoe Bat | |
| 狐蝠属 <i>Pteropus</i> | | 小菊头蝠 Least Horseshoe Bat | <i>Rhinolophus pusillus</i> |
| 琉球狐蝠 Ryukyu Flying Fox | <i>Pteropus dasymallus</i> | 中华菊头蝠 Chinese Horseshoe Bat | <i>Rhinolophus sinicus</i> |
| 果蝠属 <i>Rousettus</i> | | 托氏菊头蝠 | <i>Rhinolophus thomasi</i> |
| 抱尾果蝠 Geoffroy's Rousette | <i>Rousettus amplexicaudatus</i> | Thoma's Horseshoe Bat | |
| 棕果蝠 Leschenault's Rousette | <i>Rousettus leschenaultii</i> | 台湾菊头蝠 | <i>Rhinolophus formosae</i> |
| 球果蝠属 <i>Sphaerias</i> | | Formosan Woolly Horseshoe Bat | |
| 球果蝠 Blandford's Fruit Bat | <i>Sphaerias blanfordi</i> | 大菊头蝠 Woolly Horseshoe Bat | <i>Rhinolophus luctus</i> |
| | | 假吸血蝠科 Megadermatidae | |
| | | 假吸血蝠属 <i>Megaderma</i> | |
| | | 印度假吸血蝠 | <i>Megaderma lyra</i> |
| | | Greater False Vampire | |

| 中、英文名 Chinese, English name | 学名 Species name | 中、英文名 Chinese, English name | 学名 Species name |
|---|--------------------------------|---|------------------------------|
| 马来假吸血蝠 Lesser False Vampire | <i>Megaderma spasma</i> | 东北管鼻蝠 Hilgendorf's Tube-nosed Bat | <i>Murina hilgendorfi</i> |
| 鞘尾蝠科 Emballonuridae | | 中管鼻蝠 Hutton's Tube-nosed Bat | <i>Murina huttonii</i> |
| 墓蝠属 <i>Taphozous</i> | | 锦鑫管鼻蝠 Jinchu's Tube-nosed Bat | <i>Murina jinchui</i> |
| 黑髯墓蝠 Black-bearded Tomb Bat | <i>Taphozous melanopogon</i> | 白腹管鼻蝠 Rufous Tube-nosed Bat | <i>Murina leucogaster</i> |
| 大墓蝠 Theobold's Tomb Bat | <i>Taphozous theobaldi</i> | 荔波管鼻蝠 Libo Tube-nosed Bat | <i>Murina liboensis</i> |
| 犬吻蝠科 Molossidae | | 罗蕾莱管鼻蝠 Lorelie's Tube-nosed Bat | <i>Murina lorelieae</i> |
| 小犬吻蝠属 <i>Chaerephon</i> | | 台湾管鼻蝠 Taiwanese Tube-nosed Bat | <i>Murina puta</i> |
| 小犬吻蝠 Wrinkle-lipped Free-tailed Bat | <i>Chaerephon plicatus</i> | 隐姬管鼻蝠 Faint-golden Little Tube-nosed Bat | <i>Murina recondita</i> |
| 犬吻蝠属 <i>Tadarida</i> | | 榕江管鼻蝠 Rongjiang Tube-nosed Bat | <i>Murina rongjiangensis</i> |
| 宽耳犬吻蝠 East Asian Free-tailed Bat | <i>Tadarida insignis</i> | 水甫管鼻蝠 Shuipu's Tube-nosed Bat | <i>Murina shuipuensis</i> |
| 华北犬吻蝠 La Touche's Free-tailed Bat | <i>Tadarida latouchei</i> | 乌苏里管鼻蝠 Ussurian Tube-nosed Bat | <i>Murina ussuriensis</i> |
| 长翼蝠科 Miniopteridae | | 盘足蝠属 Eudiscopus | |
| 长翼蝠属 <i>Miniopterus</i> | | 盘足蝠 Disk-footed Bat | <i>Eudiscopus denticulus</i> |
| 亚洲长翼蝠 Asian Long-fingered Bat | <i>Miniopterus fuliginosus</i> | 鼠耳蝠属 Myotis | |
| 大长翼蝠 Large Long-fingered Bat | <i>Miniopterus magnater</i> | 西南鼠耳蝠 Szechwan Myotis | <i>Myotis altarium</i> |
| 南长翼蝠 Small Long-fingered Bat | <i>Miniopterus pusillus</i> | 缺齿鼠耳蝠 Hairy-faced Bat | <i>Myotis annectans</i> |
| 蝙蝠科 Vespertilionidae | | 栗鼠耳蝠 Bay Myotis | <i>Myotis badius</i> |
| 彩蝠属 <i>Kerivoula</i> | | 狭耳鼠耳蝠 Lesser Mouse-eared Myotis | <i>Myotis blythii</i> |
| 暗褐彩蝠 Dark Woolly Bat | <i>Kerivoula furva</i> | 远东鼠耳蝠 Far Eastern Myotis | <i>Myotis bombinus</i> |
| 彩蝠 Painted Bat | <i>Kerivoula picta</i> | 布氏鼠耳蝠 Brandt's Myotis | <i>Myotis brandtii</i> |
| 泰坦尼亚彩蝠 Titania's Woolly Bat | <i>Kerivoula titania</i> | 中华鼠耳蝠 Chinese Myotis | <i>Myotis chinensis</i> |
| 毛翼蝠属 <i>Harpiocephalus</i> | | 沼泽鼠耳蝠 Pond Bat | <i>Myotis dasycneme</i> |
| 毛翼蝠 Hairy-winged Bat | <i>Harpiocephalus harpia</i> | 大卫鼠耳蝠 David's Myotis | <i>Myotis davidii</i> |
| 金芒蝠属 <i>Harpiola</i> | | 毛腿鼠耳蝠 Fringed Long-footed Myotis | <i>Myotis fimbriatus</i> |
| 金芒蝠 Formosan Golden Tube-nosed Bat | <i>Harpiola isodon</i> | 金黄鼠耳蝠 Hodgson's Myotis | <i>Myotis formosus</i> |
| 管鼻蝠属 <i>Murina</i> | | 长尾鼠耳蝠 Fraternal Myotis | <i>Myotis frater</i> |
| 金管鼻蝠 Little Tube-nosed Bat | <i>Murina aurata</i> | 小巨足鼠耳蝠 Lesser Large-footed Myotis | <i>Myotis hasseltii</i> |
| 黄胸管鼻蝠 Yellow-chested Tube-nosed Bat | <i>Murina bicolor</i> | 霍氏鼠耳蝠 Horsfield's Myotis | <i>Myotis horsfieldii</i> |
| 金毛管鼻蝠 Golden-haired Tube-nosed Bat | <i>Murina chrysochaetes</i> | 伊氏鼠耳蝠 Ikonnikov's Myotis | <i>Myotis ikonnikovi</i> |
| 圆耳管鼻蝠 Round-eared Tube-nosed Bat | <i>Murina cyclotis</i> | 印支鼠耳蝠 Indo-Chinese Myotis | <i>Myotis indochinensis</i> |
| 艾氏管鼻蝠 Elery's Tube-nosed Bat | <i>Murina eleryi</i> | 华南水鼠耳蝠 Chinese Water Myotis | <i>Myotis laniger</i> |
| 梵净山管鼻蝠 Fanjingshan Tube-nosed Bat | <i>Murina fanjingshanensis</i> | 长指鼠耳蝠 Kashmir Cave Myotis | <i>Myotis longipes</i> |
| 菲氏管鼻蝠 Fea's Tube-nosed Bat | <i>Murina feae</i> | 大趾鼠耳蝠 Big-footed Myotis | <i>Myotis macrodactylus</i> |
| 暗色管鼻蝠 Dusky Tube-nosed Bat | <i>Murina fusca</i> | 山地鼠耳蝠 Burmese Whiskered Myotis | <i>Myotis montivagus</i> |
| 姬管鼻蝠 Taiwanese Little Tube-nosed Bat | <i>Murina gracilis</i> | 喜山鼠耳蝠 Nepalese Whiskered Myotis | <i>Myotis muricola</i> |
| 哈氏管鼻蝠 Harrison's Tube-nosed Bat | <i>Murina harrisoni</i> | | |

| 中、英文名 Chinese, English name | 学名 Species name | 中、英文名 Chinese, English name | 学名 Species name |
|---------------------------------------|-----------------------------------|---|-----------------------------------|
| 尼泊尔鼠耳蝠 Nepal Myotis | <i>Myotis nipalensis</i> | 台湾长耳蝠 Taiwan Long-eared Bat | <i>Plecotus taiwanus</i> |
| 北京鼠耳蝠 Peking Myotis | <i>Myotis pequinus</i> | 斑蝠属 <i>Scotomanes</i> | |
| 东亚水鼠耳蝠 Eastern Dauben-ton's Myotis | <i>Myotis petax</i> | 斑蝠 Harlequin Bat | <i>Scotomanes ornatus</i> |
| 大足鼠耳蝠 Rickett's Big-footed Myotis | <i>Myotis pilosus</i> | 黄蝠属 <i>Scotophilus</i> | |
| 渡濑氏鼠耳蝠 Reddish-black Myotis | <i>Myotis rufoniger</i> | 小黄蝠 Lesser Asiatic Yellow House Bat | <i>Scotophilus kuhlii</i> |
| 高颅鼠耳蝠 Himalayan Whiskered Bat | <i>Myotis siligorensis</i> | 大黄蝠 Greater Asiatic Yellow House Bat | <i>Scotophilus heathii</i> |
| 宽吻蝠属 <i>Submyotodon</i> | | 金颈蝠属 <i>Thainycteris</i> | |
| 宽吻鼠耳蝠 Taiwan Broad-muzzled Myotis | <i>Submyotodon latirostris</i> | 环颈蝠 Collared Sprite | <i>Thainycteris aureocollaris</i> |
| 金背伏翼属 <i>Arielulus</i> | | 黄颈蝠 Necklace Sprite | <i>Thainycteris torquatus</i> |
| 大黑伏翼 Bronze Sprite | <i>Arielulus circumdatus</i> | 扁颅蝠属 <i>Tylonycteris</i> | |
| 宽耳蝠属 <i>Barbastella</i> | | 华南扁颅蝠 Indiamalayan Bamboo Bat | <i>Tylonycteris fulvida</i> |
| 北京宽耳蝠 Beijing Barbastelle | <i>Barbastella beijingensis</i> | 小扁颅蝠 Pygmy Bamboo Bat | <i>Tylonycteris pygmaea</i> |
| 东方宽耳蝠 Eastern Barbastelle | <i>Barbastella darjelingensis</i> | 托京褐扁颅蝠 Tonkin Greater Bamboo Bat | <i>Tylonycteris tonkinensis</i> |
| 棕蝠属 <i>Eptesicus</i> | | 蝙蝠属 <i>Vespertilio</i> | |
| 戈壁棕蝠 Gobi Serotine | <i>Eptesicus gobiensis</i> | 普通蝙蝠 Eurasina Particoloured Bat | <i>Vespertilio murinus</i> |
| 北棕蝠 Northern Serotine | <i>Eptesicus nilssonii</i> | 东方蝙蝠 Asian Particolored Bat | <i>Vespertilio sinensis</i> |
| 东方棕蝠 Oriental Serotine | <i>Eptesicus pachyomus</i> | 鲸偶蹄目 CETARTIODACTYLA | |
| 肥耳棕蝠 Thick-eared Serotine | <i>Eptesicus pachyotis</i> | 骆驼科 Camelidae | |
| 高级伏翼属 <i>Hypsugo</i> | | 骆驼属 <i>Camelus</i> | |
| 茶褐伏翼 Chocolate Pipistrelle | <i>Hypsugo affinis</i> | 双峰驼 Bactrian Camel | <i>Camelus ferus</i> |
| 阿拉善伏翼 Alashanian Pipistrelle | <i>Hypsugo alaschanicus</i> | 猪科 Suidae | |
| 卡氏伏翼 Cadorna's Pipistrelle | <i>Hypsugo cadornae</i> | 猪属 <i>Sus</i> | |
| 大灰伏翼 Pungent Pipistrelle | <i>Hypsugo mordax</i> | 野猪 Wild Boar | <i>Sus scrofa</i> |
| 灰伏翼 Chinese Pipistrelle | <i>Hypsugo pulveratus</i> | 麋鹿科 Tragulidae | |
| 萨氏伏翼 Savi's Pipistrelle | <i>Hypsugo savi</i> | 麋鹿属 <i>Tragulus</i> | |
| 南蝠属 <i>Ia</i> | | 小麋鹿 Lesser Mouse Deer | <i>Tragulus kanchil</i> |
| 南蝠 Great Evening Bat | <i>Ia io</i> | 鹿科 Cervidae | |
| 山蝠属 <i>Nyctalus</i> | | 驼鹿属 <i>Alces</i> | |
| 大山蝠 Bird-like Noctule | <i>Nyctalus aviator</i> | 驼鹿 Moose | <i>Alces alces</i> |
| 褐山蝠 Common Noctule | <i>Nyctalus noctula</i> | 狍属 <i>Capreolus</i> | |
| 中华山蝠 Chinese Noctule | <i>Nyctalus plancyi</i> | 狍 Siberian Roe Deer | <i>Capreolus pygargus</i> |
| 伏翼属 <i>Pipistrellus</i> | | 鹿属 <i>Cervus</i> | |
| 东亚伏翼 Japanese Pipistrelle | <i>Pipistrellus abramus</i> | 马鹿 Red Deer | <i>Cervus elaphus</i> |
| 锡兰伏翼 Kelaart's Pipistrelle | <i>Pipistrellus ceylonicus</i> | 梅花鹿 Sika Deer | <i>Cervus nippon</i> |
| 印度伏翼 Indian Pipistrelle | <i>Pipistrellus coromandra</i> | 麋鹿属 <i>Elaphurus</i> | |
| 爪哇伏翼 Javan Pipistrelle | <i>Pipistrellus javanicus</i> | 麋鹿 Père David's Deer | <i>Elaphurus davidianus</i> |
| 棒茎伏翼 Mount Popa Pipistrelle | <i>Pipistrellus paterculus</i> | 白唇鹿属 <i>Przewalskium</i> | |
| 普通伏翼 Common Pipistrelle | <i>Pipistrellus pipistrellus</i> | 白唇鹿 White-lipped Deer | <i>Przewalskium albirostris</i> |
| 侏伏翼 Least Pipistrelle | <i>Pipistrellus tenuis</i> | 泽鹿属 <i>Rucervus</i> | |
| 长耳蝠属 <i>Plecotus</i> | | 坡鹿 Eld's Deer | <i>Rucervus eldii</i> |
| 灰长耳蝠 Gray Long-eared Bat | <i>Plecotus austriacus</i> | 水鹿属 <i>Rusa</i> | |
| 奥氏长耳蝠 Ognevi's Long-eared Bat | <i>Plecotus ognevi</i> | 水鹿 Sambar Deer | <i>Rusa unicolor</i> |

| 中、英文名 Chinese, English name | 学名 Species name | 中、英文名 Chinese, English name | 学名 Species name |
|-----------------------------|--|-----------------------------|-----------------------------------|
| 獐属 <i>Hydropotes</i> | | 林麝 Forest Musk Deer | <i>Moschus berezovskii</i> |
| 獐 Chinese Water Deer | <i>Hydropotes inermis</i> | 马麝 Alpine Musk Deer | <i>Moschus chrysogaster</i> |
| 毛冠鹿属 <i>Elaphodus</i> | | 黑麝 Black Musk Deer | <i>Moschus fuscus</i> |
| 毛冠鹿 Tufted Deer | <i>Elaphodus cephalophus</i> | 喜马拉雅麝 Himalayan Musk Deer | <i>Moschus leucogaster</i> |
| 麝属 <i>Moschus</i> | | 原麝 Siberian Musk Deer | <i>Moschus moschiferus</i> |
| 黑麝 Black Muntjac | <i>Moschus moschiferus</i> | 露脊鲸科 Balaenidae | |
| 菲氏麝 Fea's Muntjac | <i>Moschus moschiferus feae</i> | 露脊鲸属 <i>Eubalaena</i> | |
| 贡山麝 Gongshan Muntjac | <i>Moschus moschiferus gongshanensis</i> | 北太平洋露脊鲸 | <i>Eubalaena japonica</i> |
| 小麝 Reeves' Muntjac | <i>Moschus moschiferus reevesi</i> | North Pacific Right Whale | |
| 赤麝 Red Muntjac | <i>Moschus moschiferus vaginalis</i> | 灰鲸科 Eschrichtiidae | |
| 牛科 Bovidae | | 灰鲸属 <i>Eschrichtius</i> | |
| 羚羊属 <i>Gazella</i> | | 灰鲸 Gray Whale | <i>Eschrichtius robustus</i> |
| 鹅喉羚 Goitered Gazelle | <i>Gazella subgutturosa</i> | 须鲸科 Balaenopteridae | |
| 原羚属 <i>Procapra</i> | | 须鲸属 <i>Balaenoptera</i> | |
| 蒙原羚 Mongolian Gazelle | <i>Procapra gutturosa</i> | 小须鲸 Common Minke Whale | <i>Balaenoptera acutorostrata</i> |
| 藏原羚 Tibetan Gazelle | <i>Procapra picticaudata</i> | 塞鲸 Sei Whale | <i>Balaenoptera borealis</i> |
| 普氏原羚 Przewalski's Gazelle | <i>Procapra przewalskii</i> | 布氏鲸 Bryde's Whale | <i>Balaenoptera edeni</i> |
| 野牛属 <i>Bos</i> | | 蓝鲸 Blue Whale | <i>Balaenoptera musculus</i> |
| 印度野牛 Gaur | <i>Bos gaurus</i> | 大村鲸 Omura's Whale | <i>Balaenoptera omurai</i> |
| 野牦牛 Wild Yak | <i>Bos mutus</i> | 长须鲸 Fin Whale | <i>Balaenoptera physalus</i> |
| 扭角羚属 <i>Budorcas</i> | | 大翅鲸属 <i>Megaptera</i> | |
| 扭角羚 Takin | <i>Budorcas taxicolor</i> | 大翅鲸 Humpback Whale | <i>Megaptera novaeangliae</i> |
| 羊属 <i>Capra</i> | | 小抹香鲸科 Kogiidae | |
| 北山羊 Siberian Ibex | <i>Capra sibirica</i> | 小抹香鲸属 <i>Kogia</i> | |
| 鬣羚属 <i>Capricornis</i> | | 小抹香鲸 Pygmy Sperm Whale | <i>Kogia breviceps</i> |
| 中华鬣羚 Chinese Serow | <i>Capricornis milneedwardsii</i> | 侏抹香鲸 Dwarf Sperm Whale | <i>Kogia sima</i> |
| 红鬣羚 Red Serow | <i>Capricornis rubidus</i> | 抹香鲸科 Physeteridae | |
| 台湾鬣羚 Taiwan Serow | <i>Capricornis swinhoei</i> | 抹香鲸属 <i>Physeter</i> | |
| 喜马拉雅鬣羚 Himalayan Serow | <i>Capricornis thar</i> | 抹香鲸 Sperm Whale | <i>Physeter macrocephalus</i> |
| 塔尔羊属 <i>Hemitragus</i> | | 喙鲸科 Ziphiidae | |
| 塔尔羊 Himalayan Tahr | <i>Hemitragus jemlahicus</i> | 贝喙鲸属 <i>Berardius</i> | |
| 斑羚属 <i>Naemorhedus</i> | | 拜氏贝喙鲸 | <i>Berardius bairdii</i> |
| 赤斑羚 Red Goral | <i>Naemorhedus baileyi</i> | Baird's Beaked Whale | |
| 长尾斑羚 Long-tailed Goral | <i>Naemorhedus caudatus</i> | 印太喙鲸属 <i>Indopacetus</i> | |
| 缅甸斑羚 Burmese Goral | <i>Naemorhedus evansi</i> | 朗氏喙鲸 | <i>Indopacetus pacificus</i> |
| 喜马拉雅斑羚 Himalayan Goral | <i>Naemorhedus goral</i> | Longman's Beaked Whale | |
| 中华斑羚 Chinese Goral | <i>Naemorhedus griseus</i> | 中喙鲸属 Mesoplodon | |
| 盘羊属 <i>Ovis</i> | | 柏氏中喙鲸 | <i>Mesoplodon densirostris</i> |
| 盘羊 Argali | <i>Ovis ammon</i> | Blainville's Beaked Whale | |
| 藏羚属 <i>Pantholops</i> | | 银杏齿中喙鲸 | <i>Mesoplodon ginkgodens</i> |
| 藏羚 Tibetan Antelope | <i>Pantholops hodgsonii</i> | Ginkgo-toothed Beaked Whale | |
| 岩羊属 <i>Pseudois</i> | | 小中喙鲸 Pygmy Beaked Whale | <i>Mesoplodon peruvianus</i> |
| 岩羊 Bharal | <i>Pseudois nayaur</i> | 喙鲸属 <i>Ziphius</i> | |
| 麝科 Moschidae | | 鹅喙鲸 Cuvier's Beaked Whale | <i>Ziphius cavirostris</i> |
| 麝属 <i>Moschus</i> | | 白鬚豚科 Lipotidae | |
| 安徽麝 Anhui Musk Deer | <i>Moschus anhuiensis</i> | 白鬚豚属 <i>Lipotes</i> | |
| | | 白鬚豚 Baiji | <i>Lipotes vexillifer</i> |
| | | 海豚科 Delphinidae | |
| | | 真海豚属 <i>Delphinus</i> | |

| 中、英文名 Chinese, English name | 学名 Species name | 中、英文名 Chinese, English name | 学名 Species name |
|---------------------------------|-----------------------------------|------------------------------|-----------------------------------|
| 真海豚 Common Dolphin | <i>Delphinus delphis</i> | 鳞甲目 PHOLIDOTA | |
| 小虎鲸属 <i>Feresa</i> | | 鲛鲤科 Manidae | |
| 小虎鲸 Pygmy Killer Whale | <i>Feresa attenuata</i> | 鲛鲤属 <i>Manis</i> | |
| 领航鲸属 <i>Globicephala</i> | | 马来穿山甲 Sunda Pangolin | <i>Manis javanica</i> |
| 短肢领航鲸 | | 中华穿山甲 Chinese Pangolin | <i>Manis pentadactyla</i> |
| Short-finned Pilot Whale | <i>Globicephala macrorhynchus</i> | 食肉目 CARNIVORA | |
| 灰海豚属 <i>Grampus</i> | | 猫科 Felidae | |
| 里氏海豚 Risso's Dolphin | <i>Grampus griseus</i> | 金猫属 <i>Catopuma</i> | |
| 弗海豚属 <i>Lagenodelphis</i> | | 金猫 Asiatic Golden Cat | <i>Catopuma temminckii</i> |
| 弗氏海豚 Fraser's Dolphin | <i>Lagenodelphis hosei</i> | 猫属 <i>Felis</i> | |
| 斑纹海豚属 <i>Lagenorhynchus</i> | | 荒漠猫 Chinese Mountain Cat | <i>Felis bieti</i> |
| 太平洋斑纹海豚 | | 丛林猫 Jungle Cat | <i>Felis chaus</i> |
| Pacific White-sided Dolphin | <i>Lagenorhynchus obliquidens</i> | 野猫 Wild Cat | <i>Felis silvestris</i> |
| 虎鲸属 <i>Orcinus</i> | | 猞猁属 <i>Lynx</i> | |
| 虎鲸 Killer Whale | <i>Orcinus orca</i> | 猞猁 Eurasian Lynx | <i>Lynx lynx</i> |
| 瓜头鲸属 <i>Peponocephala</i> | | 兔狲属 <i>Otocolobus</i> | |
| 瓜头鲸 Melon-headed Whale | <i>Peponocephala electra</i> | 兔狲 Pallas's Cat | <i>Otocolobus manul</i> |
| 伪虎鲸属 <i>Pseudorca</i> | | 云猫属 <i>Pardofelis</i> | |
| 伪虎鲸 False Killer Whale | <i>Pseudorca crassidens</i> | 云猫 Marbled Cat | <i>Pardofelis marmorata</i> |
| 白海豚属 <i>Sousa</i> | | 豹猫属 <i>Prionailurus</i> | |
| 中华白海豚 | | 豹猫 Leopard Cat | <i>Prionailurus bengalensis</i> |
| Indo-Pacific Humpback Dolphin | <i>Sousa chinensis</i> | 云豹属 <i>Neofelis</i> | |
| 原海豚属 <i>Stenella</i> | | 云豹 Clouded Leopard | <i>Neofelis nebulosa</i> |
| 热带点斑原海豚 | | 豹属 <i>Panthera</i> | |
| Pantropical Spotted Dolphin | <i>Stenella attenuata</i> | 豹 Leopard | <i>Panthera pardus</i> |
| 条纹原海豚 Striped Dolphin | <i>Stenella coeruleoalba</i> | 虎 Tiger | <i>Panthera tigris</i> |
| 飞旋原海豚 Spinner Dolphin | <i>Stenella longirostris</i> | 雪豹 Snow Leopard | <i>Panthera uncia</i> |
| 糙齿海豚属 <i>Steno</i> | | 林狸科 Prionodontidae | |
| 糙齿海豚 Rough-toothed Dolphin | <i>Steno bredanensis</i> | 林狸属 <i>Prionodon</i> | |
| 瓶鼻海豚属 <i>Tursiops</i> | | 斑林狸 Spotted Linsang | <i>Prionodon pardicolor</i> |
| 印太瓶鼻海豚 | | 灵猫科 Viverridae | |
| Indo-Pacific Bottlenose Dolphin | <i>Tursiops aduncus</i> | 带狸属 <i>Chrotogale</i> | |
| 瓶鼻海豚 | | 长颌带狸 Owston's Palm Civet | <i>Chrotogale owstoni</i> |
| Common Bottlenose Dolphin | <i>Tursiops truncatus</i> | 熊狸属 <i>Arctictis</i> | |
| 鼠海豚科 Phocoenidae | | 熊狸 Binturong | <i>Arctictis binturong</i> |
| 江豚属 <i>Neophocaena</i> | | 小齿狸属 <i>Arctogalidia</i> | |
| 长江江豚 Yangtze Finless Porpoise | <i>Neophocaena asiaorientalis</i> | 小齿狸 Small-toothed Palm Civet | <i>Arctogalidia trivirgata</i> |
| 印太江豚 | | 花面狸属 <i>Paguma</i> | |
| Indo-Pacific Finless Porpoise | <i>Neophocaena phocaenoides</i> | 花面狸 Masked Palm Civet | <i>Paguma larvata</i> |
| 东亚江豚 | | 椰子狸属 <i>Paradoxurus</i> | |
| East Asian Finless Porpoise | <i>Neophocaena sunameri</i> | 椰子狸 Asian Palm Civet | <i>Paradoxurus hermaphroditus</i> |
| 奇蹄目 PERISSODACTYLA | | 大灵猫属 <i>Viverra</i> | |
| 马科 Equidae | | 大斑灵猫 Large-spotted Civet | <i>Viverra megaspila</i> |
| 马属 <i>Equus</i> | | 大灵猫 Large Indian Civet | <i>Viverra zibetha</i> |
| 野马 Przewalski's Horse | <i>Equus ferus</i> | 小灵猫属 <i>Viverricula</i> | |
| 蒙古野驴 Asiatic Wild Ass | <i>Equus hemionus</i> | 小灵猫 Small Indian Civet | <i>Viverricula indica</i> |
| 藏野驴 Tibetan Wild Ass | <i>Equus kiang</i> | | |

| 中、英文名 Chinese, English name | 学名 Species name | 中、英文名 Chinese, English name | 学名 Species name |
|-----------------------------|---------------------------------|-----------------------------|---------------------------------|
| 獐科 Herpestidae | | 海狮属 Eumetopias | |
| 獐属 <i>Herpestes</i> | | 北海狮 Steller Sea Lion | <i>Eumetopias jubatus</i> |
| 红颊獐 Small Asian Mongoose | <i>Herpestes javanicus</i> | 小熊猫科 Ailuridae | |
| 食蟹獐 Crab-eating Mongoose | <i>Herpestes urva</i> | 小熊猫属 <i>Ailurus</i> | |
| 犬科 Canidae | | 喜马拉雅小熊猫 | <i>Ailurus fulgens</i> |
| 犬属 <i>Canis</i> | | Himalayan Red Panda | |
| 亚洲胡狼 Golden Jackal | <i>Canis aureus</i> | 中华小熊猫 Chinese Red Panda | <i>Ailurus styani</i> |
| 狼 Gray Wolf | <i>Canis lupus</i> | 鼬科 Mustelidae | |
| 豺属 Cuon | | 小爪水獭属 <i>Aonyx</i> | |
| 豺 Dhole | <i>Cuon alpinus</i> | 小爪水獭 | <i>Aonyx cinerea</i> |
| 狐属 Vulpes | | 水獭属 <i>Lutra</i> | |
| 孟加拉狐 Bengal Fox | <i>Vulpes bengalensis</i> | 欧亚水獭 Eurasian Otter | <i>Lutra lutra</i> |
| 沙狐 Corsac Fox | <i>Vulpes corsac</i> | 江獭属 Lutrogale | |
| 藏狐 Tibetan Fox | <i>Vulpes ferrilata</i> | 江獭 Smooth-coated Otter | <i>Lutrogale perspicillata</i> |
| 赤狐 Red Fox | <i>Vulpes vulpes</i> | 猪獾属 Arctonyx | |
| 貉属 Nyctereutes | | 猪獾 Hog Badger | <i>Arctonyx collaris</i> |
| 貉 Raccoon Dog | <i>Nyctereutes procyonoides</i> | 狗獾属 Meles | |
| 熊科 Ursidae | | 亚洲狗獾 Asian Badger | <i>Meles leucurus</i> |
| 大熊猫属 <i>Ailuropoda</i> | | 鼬獾属 Melogale | |
| 大熊猫 Giant Panda | <i>Ailuropoda melanoleuca</i> | 鼬獾 Chinese Ferret-badger | <i>Melogale moschata</i> |
| 马来熊属 <i>Helarctos</i> | | 缅甸鼬獾 Burmese Ferret-badger | <i>Melogale personata</i> |
| 马来熊 Sun Bear | <i>Helarctos malayanus</i> | 貂熊属 Gulo | |
| 懒熊属 Melursus | | 貂熊 Wolverine | <i>Gulo gulo</i> |
| 懒熊 Sloth Bear | <i>Melursus ursinus</i> | 貂属 Martes | |
| 熊属 Ursus | | 黄喉貂 Yellow-throated Marten | <i>Martes flavigula</i> |
| 棕熊 Brown Bear | <i>Ursus arctos</i> | 石貂 Stone Marten | <i>Martes foina</i> |
| 亚洲黑熊 Asiatic Black Bear | <i>Ursus thibetanus</i> | 紫貂 Sable | <i>Martes zibellina</i> |
| 海豹科 Phocidae | | 鼬属 Mustela | |
| 髯海豹属 <i>Erignathus</i> | | 缺齿伶鼬 Lack-toothed Weasel | <i>Mustela aistoodonnivalis</i> |
| 髯海豹 Bearded Seal | <i>Erignathus barbatus</i> | 香鼬 Mountain Weasel | <i>Mustela altaica</i> |
| 海豹属 Phoca | | 白鼬 Stoat | <i>Mustela erminea</i> |
| 斑海豹 Spotted Seal | <i>Phoca largha</i> | 艾鼬 Steppe Polecat | <i>Mustela eversmanni</i> |
| 小头海豹属 <i>Pusa</i> | | 黄腹鼬 Yellow-bellied Weasel | <i>Mustela kathiah</i> |
| 环海豹 Ringed Seal | <i>Pusa hispida</i> | 伶鼬 Least Weasel | <i>Mustela nivalis</i> |
| 海狮科 Otariidae | | 黄鼬 Siberian Weasel | <i>Mustela sibirica</i> |
| 海狗属 <i>Callorhinus</i> | | 纹鼬 Stripe-backed Weasel | <i>Mustela strigidorsa</i> |
| 北海狗 Northern Fur Seal | <i>Callorhinus ursinus</i> | 虎鼬属 Vormela | |
| | | 虎鼬 Marbled Polecat | <i>Vormela peregusna</i> |

参考文献:

- Montgelard C, Catzeflis F, Douzery E. 1997. Phylogenetic relationships of artiodactyls and cetaceans as deduced from the comparison of cytochrome *b* and 12S rRNA mitochondrial sequences. *Molecular Phylogenetics and Evolution*, **14**: 550 – 559.
- Stanhope M J, Waddell V G, Madsen O, Jong W, Hedges S B, Clev-
en G C, Kao D, Springer M S. 1998. Molecular evidence for
multiple origins of Insectivora and for a new order of endemic African

- insectivore mammals. *Proceedings of the National Academy of Sci-
ences of the United States of America*, **95**: 9967 – 9972.
- Teeling E C, Springer M S, Madsen O, Bates P, O' Brien S J, Mur-
phy W J. 2005. A molecular phylogeny for bats illuminates biogeo-
graphy and the fossil record. *Science*, **307**: 580 – 584.
- Waddell P J, Okada N, Hasegawa M. 1999. Towards resolving the in-
terordinal relationships of placental mammals. *Systematic Biology*,
48: 1 – 5.